


Chronic Disease

Regional Health Assessment Midpoint Update 2017

Asthma

Age-adjusted percent of adults with asthma, Oregon BRFSS, 2012-2015




Since the 2015 RHA was published, the percentage of adults who reported a diagnosis of asthma increased in Jefferson County.



Cancer

Age-adjusted cancer mortality rate per 100,000 population, OPHAT, 2000-2015




- The overall cancer mortality rate increased in Crook County. In Crook County, the cancer mortality rate for males is now significantly higher than the cancer mortality rate for females.
- Breast cancer mortality rates in Crook and Jefferson County are no longer significantly lower than the Oregon rate.
- The overall cancer incidence (new diagnosis) rate among Jefferson County females is now significantly lower than the Oregon female rate.



Diabetes

Prevalence of diabetes, Oregon BRFSS, 2012-2015.




Diabetes prevalence in Crook County is significantly higher than prevalence in Oregon as a whole. Crook County estimates were calculated using a small sample size and should be interpreted with caution.



Chronic Disease Risk Factors

- The prevalence of obesity among adults decreased in all three Central Oregon counties.
- The prevalence of smoking among Jefferson County adults decreased.
- The prevalence of high blood pressure decreased in Crook and Jefferson Counties.
- The prevalence of having had a cholesterol check in the past five years increased in Crook County.
- The prevalence of having had a mammogram in the past two years decreased in Crook County.



deschutes.org/healthdata