# **BIDDING DOCUMENTS**

PROJECT: SLURRY SEAL 2022 -

**VARIOUS MAINTENANCE ZONES** 

PROJECT #: W66125

BID OPENING: APRIL 27, 2022

**COMPLETION DATE:** AUGUST 31, 2022

# **CONTRACTING AGENCY:**



61150 SE 27<sup>TH</sup> STREET BEND, OREGON 97702 PHONE: (541) 388-6581 FAX: (541) 388-2719

WEB: www.deschutes.org/road



# BIDDING DOCUMENTS SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES

# **TABLE OF CONTENTS**

INVITATION TO BID	A1
INFORMATION FOR BIDDERS	A2
BID PROPOSAL FORM	B1
SCHEDULE OF BID ITEMS	B3
SUBCONTRACTOR DISCLOSURE FORM	B4
BID GUARANTY FORM	B5
CONTRACT AGREEMENT FORM (FOR INFORMATION ONLY)	C1
PERFORMANCE BOND FORM (FOR INFORMATION ONLY)	C3
PAYMENT BOND FORM (FOR INFORMATION ONLY)	C5
SPECIAL PROVISIONS	SP1
PROJECT MAPS	

#### DESCRIPTION OF PARTS OF BIDDING DOCUMENTS WHICH ARE NOT BOUND HEREIN:

OREGON STANDARD SPECIFICATIONS FOR CONSTRUCTION, 2021

The Specification that is applicable to the Work on this Project is the 2021 edition of the "Oregon Standard Specifications for Construction". All number references in these Special Provisions shall be understood to refer to the Sections and subsections of the Standard Specifications bearing like numbers and to Sections and subsections contained in these Special Provisions in their entirety.

# DESCHUTES COUNTY, OREGON ROAD DEPARTMENT

# INVITATION TO BID SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES

Sealed bids will be received at the Deschutes County Road Department, 61150 SE 27<sup>th</sup> Street, Bend, Oregon 97702, until but not after, **2:00 p.m. on April 27, 2022**, at which time and place all bids for the above-entitled public works project will be publicly opened and read aloud.

The Class of Work of this Project is Asphalt Concrete Paving and Oiling. The value for this Contract is estimated to be between \$300,000 and \$350,000. The Work will consists of, but not be limited to, the following:

- Install and maintain temporary traffic control.
- Construct latex-modified emulsified asphalt slurry seal wearing surface.
- Perform additional and incidental work as called for by the specifications and plans.

Specifications and other bid documents may be inspected and obtained from the Deschutes County Bids and RFPs website at <a href="http://www.deschutes.org/rfps">http://www.deschutes.org/rfps</a>. Inquiries pertaining to these specifications shall be directed to Cody Smith, County Engineer, in writing at <a href="mailto:Cody.Smith@deschutes.org">Cody.Smith@deschutes.org</a> or the address above.

Bids shall be made on the forms furnished by the County, including a Bid Bond or Cashiers Check for the minimum amount of 10% of the Bid Price, addressed and mailed or delivered to Chris Doty, Department Director, 61150 SE 27th Street, Bend, Oregon 97702 in a sealed envelope plainly marked "BID FOR SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES" and the name and address of the bidder.

Bidders must submit a Subcontractor Disclosure Statement. The subcontractor disclosure statement may be submitted in the sealed bid prior to 2:00 p.m. on April 27, 2022 or in a separate sealed envelope marked "SUBCONTRACTOR DISCLOSURE STATEMENT - SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES" prior to 4:00 p.m. on April 27, 2022 at the above location.

Because the work called for under this contract is for a public works project subject to state prevailing rates of wage under ORS 279C.800 to 279C.870, the County will not receive or consider a bid unless the bid contains a statement by the bidder that the bidder will comply with ORS 279C.840. Each bid must contain a statement as to whether the bidder is a resident bidder, as defined in ORS 279A.120. Vendors shall use recyclable and/or sustainably sourced products to the maximum extent economically feasible in the performance of the contract work set forth in this document.

Bidders shall be prequalified with the State of Oregon for the Class of Work stated above in accordance with ORS 279C.430 through 279C.450 and Deschutes County Code 12.52.020 The successful bidders and subcontractors providing labor shall maintain a qualified drug testing program for the duration of the contract. Bidders shall be licensed with the Construction Contractor's Board. Contractors and subcontractors need not be licensed under ORS 468A.720.

Deschutes County may reject any bid not in compliance with all prescribed bidding procedures and requirements, and may reject for good cause any or all bids upon a finding of Deschutes County it is in the public interest to do so. The protest period for this procurement is seven (7) calendar days.

CHRIS DOTY
Road Department Director

PUBLISHED:

DAILY JOURNAL OF COMMERCE: April 6, 2022

THE BEND BULLETIN: April 6, 2022

# INFORMATION FOR BIDDERS

- 1. <u>General Description of Project.</u> A general description of the work to be performed is contained in the Invitation to Bid. The scope is indicated in the applicable parts of these Contract documents.
- 2. <u>Contract Documents.</u> The Contract documents under which it is proposed to execute the work consist of the material bound herewith. These Contract documents are intended to be mutually complementary and to provide all details reasonably required for the execution of the proposed work.

Any person contemplating the submission of a proposal and being in doubt as to the meaning or intent of said contract document shall at once notify, in writing, the Road Department Director of Deschutes County, Oregon. Any interpretation of change will be mailed or delivered to each person receiving a set of documents.

- **3. Form of Proposals.** All proposals must be submitted on the forms furnished. Subcontractor disclosure form may be submitted with the bid or in a separate envelope.
- 4. <u>Substitutions.</u> Materials and/or products called for in the specifications are named in order to establish a standard of quality design. Manufacturers or suppliers of products similar to those specified may submit bids on the work providing requests for approval of substitution materials are made at least seven (7) calendar days prior to the bid opening. Adequate information on which to base approval or disapproval must be furnished to the Road Department Director or his representative and the Road Department Director shall be the sole judge of any request. When the Road Department Director approves a substitution, it is with the understanding that the Contractor guarantees the substituted article or materials to be equal or better than the specified.
- **5. Preparation of Proposals.** All blank spaces in the proposal form must be filled in, in ink, or typed, in both words and figures where required. No changes shall be made in phraseology of the forms. Written amount shall govern in cases of discrepancy between the amount stated in writing and amount stated in figures.

Any proposal shall be deemed informal which contains omissions, erasures, alterations, or additions of any kind, or prices uncalled for, or which, in any manner shall fail to conform to the conditions of the published invitation to bidders.

The bidder shall sign his/her proposal in the blank space provided therefore. Proposals made by corporations or partnerships shall contain names and addresses of the principal officers or partners therein. If a corporation makes a proposal, it must be signed by one of the principal officers thereof, and the corporate seal affixed.

If made by a partnership, it must be signed by one of the partners, clearly indicating that he is signing as a partner of the firm. In the case of a proposal

made by a joint venture, each of the joint venturers must sign the proposal in his personal capacity.

The wording of the proposal shall not be changed. Any additions, conditions, limitations or provisions inserted by the bidder will render the proposal irregular and may cause its rejection.

6. <u>Submission of Proposals.</u> All proposals must be submitted in the time and place and in the manner prescribed in the invitation to bid. Proposals must be made on the prescribed proposal forms furnished. Each proposal must be submitted in a sealed envelope, so marked as to indicate its contents without being opened. If the proposal is submitted by mail, the sealed envelope containing the bid must be enclosed in a separate envelope plainly addressed for mailing to conformance with instructions in the Invitation to Bid

A responsive bid proposal must include the following completed items:

- Bid Proposal Form
- Schedule of Bid Items
- Bid Guaranty Form
- 7. Modification or Withdrawal of Proposal. Any bidder may modify his bid by written or telegraphic communication at any time prior to the scheduled closing time for receipt of bids, provided such communication is received by the County prior to the closing time, and provided further that a written confirmation of a telegraphic modification over the signature of the bidder was mailed prior to the closing time. If written confirmation of a telegraphic communication is not received within at least two calendar days of the closing time, no consideration will be given to the modification. The written or telegraphic communication should not reveal the bid price, but should state the addition or subtraction or other modification so that the County will not know the final prices or terms until the sealed bid is opened.

Proposals may be withdrawn prior to the scheduled time for the opening of the proposals either by telegraphic or written request, or in person. No proposal may be withdrawn after the time scheduled for opening of proposals, unless the County has failed to comply with the time limits applicable to award of the Contract.

- Disclosure of First Tier Subcontractors. 8. Bidders must submit a subcontractor disclosure statement where the value, estimated by the contracting Agency exceeds \$100,000. The subcontractor disclosure statement may be submitted in the sealed bid prior to the bid closing OR it submitted separate sealed envelope mav in а "SUBCONTRACTOR DISCLOSURE STATEMENT" and the name of the project, within two (2) working hours after the bid closing. Bidder must submit a statement on the form provided in these contract documents identifying all first-tier subcontractors that will furnish labor or labor and materials and whose contract value is equal to or greater than:
  - 5% of the total project bid, but at least \$15,000, or
  - \$350,000 regardless of the percentage of the total project bid.

For each subcontractor listed, include:

- The name, address and telephone number of the subcontractor:
- The category of work that the subcontractor would be performing.

If no subcontracts subject to the above disclosure requirements are anticipated, a bidder is required to indicate "NONE" on the accompanying form.

To determine disclosure requirements, it is required that bidders disclose subcontract information for any subcontractor as follows:

1) Use the forms bound herewith for the required disclosure.

Notice – Bidder's Requirements: Bidders are required to disclose information about certain first-tier subcontractors when the contract value estimated by the contracting Agency for a Public Improvement is greater than \$100,000 (see ORS 279C.370). Specifically, when the contract amount of a first-tier subcontractor furnishing labor or labor and materials would be greater than or equal to: (i) 5% of the project bid, but at least \$15,000, or

- (ii) \$350,000 regardless of the percentage, the bidder must disclose the following information about that subcontract either in its Bid submission or within two working hours after bid closing:
- (a) The subcontractor's name, and
- (b) The category of work that the subcontractor would be performing.
- 2) If the bidder will not be using any subcontractors that are subject to the above disclosure requirements, the bidder is required to indicate "NONE" on the accompanying form.
- 3) Bidder shall submit the disclosure form required by OAR 137-049-0360 either in its bid submission or separately within two working hours after Bid Closing in the manner specified by the invitation to bid.
- 4) Compliance with the disclosure and submittal requirements of ORS 279C.370 and OAR 137-049-0360 is a matter of Responsiveness. Bids which are submitted by Bid Closing, but for which the disclosure submittal has not been made by the specified deadline, are not responsive and shall not be considered for Contract award.
- 5) County shall obtain, and make available for public inspection, the disclosure forms required by ORS 279C.370 and OAR 137-049-0360. County shall also provide copies of disclosure forms to the Bureau of Labor and Industries as required by ORS 279C.835. County is not required to determine the accuracy or completeness of the information provided on disclosure forms.
- 6) Substitution of affected first-tier subcontractors shall be made only in accordance with ORS 279C.585. County shall accept written submissions filed under the statute as public records. Aside from issues involving inadvertent clerical error under ORS 279.585(5), County does not have a statutory role or duty to review, approve, or resolve disputes

concerning such substitutions. See ORS 279C.590 regarding complaints to the Construction Contractors Board on improper substitution.

# THE COUNTY MUST REJECT A BID IF THE BIDDER FAILS TO SUBMIT THE DISCLOSURE FORM WITH THIS INFORMATION BY THE STATED DEADLINE (see OAR 137-049-0360).

- 9. <u>Bid Security.</u> The Bid Bond or Cashier's Check will be for a minimum of ten per cent (10%) of the amount of the bid price. If a bidder bids more than one bid proposal, each proposal must be accompanied by separate bid security. The County reserves the right to retain the bid security of the three (3) lowest bidders until the successful bidder has signed and delivered the contract and furnished one hundred percent (100%) Performance and Payment Bonds.
- 10. Conditions of Work. Each bidder must inform himself of the conditions relating to the execution of the work, and make himself thoroughly familiar with all the Contract documents. Failure to do so will not relieve the successful bidder of his obligations to enter into a Contract and complete the contemplated work in strict accordance with the Contract documents. Each bidder must inform himself on all laws and statutes, both Federal and State, relative to the regular execution of the work, the employment of labor, protection of public health, access to the work and similar requirements.
- 11. <u>Award of Contract</u>. The award of the contract will be made by the County on the basis of the proposal which in its sole and absolute judgment will best serve the interest of the County.

County will issue a notice of intent to award contract. Any bidder may protest the notice of intent to award contract within seven (7) calendar days of the notice of intent to award contract.

The County reserves the right to accept or reject any or all proposals, and to waive any informalities and irregularities in said proposals.

**12.** Payment and Retainage. Payment for work performed will be made by the County as specified in the Special Provisions based upon the contract unit prices on the Bid Schedule.

Upon substantial completion of the contract, Contractor may request a partial release of retainage held by the County. The maximum amount of a request for a partial release retainage shall be the Contract amount less 150 percent of the estimated cost of the Contract yet to be performed through final completion. Upon final completion, Contractor may request release of the remaining retainage. Each request for the release of retainage shall be accompanied by the Consent of the contractor's surety.

**13.** Performance Bond and Payment Bond. The successful bidder shall file with the County, at the time of execution of the contract, a Performance Bond and a Payment Bond each of not less than the contract price on the forms furnished by the County. The Surety Company furnishing the required bonds shall have a sound financial standing and a record of service satisfactory to the County, and shall be authorized to do business in the

State of Oregon. In lieu of a Performance Bond, the contractor may file cash, a Certified or Cashier's Check made payable to Deschutes County, Oregon. This money, check or certificate will be held by the County conditioned on and subject to the same provisions as set forth in the attached Performance Bond. ORS 279C.380 allows no flexibility for a cash deposit in lieu of a Payment Bond.

County may request a copy of Contractor's surety bond(s). Contractor must supply County with copy of surety bond(s) within ten (10) calendar days from the date of the request.

- 14. Required Public Works Bond. Before starting work on this project the Contractor and every subcontractor to which Contractor is a party for the performance of work under this contract must have a public works bond filed with the Construction Contractors Board, 700 Summer St. NE, Suite 300, Salem, Oregon 97309-5052, before starting work on the project, unless exempt under section 2 (7) or (8) of 2005 Oregon Laws Chapter 360 ORS 279C.836(7) or (8). Every subcontract to which Contractor is a party for the performance of work under this contract shall contain a provision requiring the subcontractor to have a public works bond filed with the Construction Contractors Board before starting work on this project, unless exempt under ORS 279C.836 (7) or (8) section 2 (7) or (8) of 2005 Oregon Laws Chapter 360.
- 15. Failure to Execute Contract. Upon failure by the successful bidder to enter into the Contract and furnish the necessary bond within ten (10) calendar days from the date Notice of Award is made, the bid bond accompanying the bid shall be forfeited, the proceeds paid to the County, and the award withdrawn. The award may then be made to the next lowest responsible bidder, or all bids rejected and the work is re-advertised.
- 16. Disclaimer of Responsibility. Neither the County nor the Road Department Director will be responsible for oral interpretations. Should a bidder find discrepancies in, or omissions from the drawings, specifications, or other pre-bid documents, or be in doubt as to their meaning, he shall notify the County at least seven (7) calendar working days prior to the bid opening date. Any and all such interpretations, any supplemental instructions or approval of manufacturer's materials to be substituted will be made only in the form of written addenda to the specifications, which, if issued, will be hand delivered or sent by regular mail, email and fax to all prospective bidders receiving a set of such documents, not later than two (2) calendar days prior to the date fixed for the opening of bids. Failure of any bidder to receive any such addendum or interpretation shall not relieve such bidder from any obligation under his bid as submitted. All addenda so issued are to be covered in the bid for such addenda to become part of the Agreement.
  - 17. <a href="Permits and Licenses">Permits and Licenses</a>. The successful bidder shall be required to have or obtain, at his expense, any and all permits and licenses required by Deschutes County, any City within the County, and the State of Oregon, pertaining to the service he proposes to furnish. Licensing shall include without limitation registration with Construction Contractors Board and in the case of professional engineers and architects proof of current licensing with the appropriate State licensing board.

- **18.** Minimum Requirements of Bid. The following minimum requirements as to the form and manner of submitting bids must be strictly observed; variance from these requirements will result in rejection of the bid as unresponsive.
  - a. Each Bid must be submitted on forms furnished by the County, and include a complete set of contract documents.
  - b. Each Bid must be signed by the bidder.
  - c. Bid security, in the required form and amount, must accompany each bid.
  - d. Each blank in the proposal must be filled in unless an alternative is provided. Each separate bid item must be bid on, unless the proposal form clearly indicates otherwise.
  - e. Each Bid must be submitted in a separate sealed envelope, marked to identify without opening, and in the hands of the Road Department Director at the time and place specified for bid opening.
  - f. A proposal containing modifications, deletions, exceptions or reservations which in any way conflict with or purport to alter any substantive provision contained in the bid documents, will not be considered.
  - g. A conditional bid will not be considered.
  - h. Any bid submitted without all of the pages of the bid documents, but with a sufficient number of the pages of the bid documents to allow the evaluation of the bid, shall be deemed to have been submitted with the missing pages for purposes of bid evaluation. The missing pages of the bid documents shall be deemed to be incorporated into bid by reference.
- **19.** Plans. Plans are not to be taken or construed as being reproduced at precisely the indicated scale. Where the plans are photographic reductions of the original tracings, the approximate amount of reduction is indicated by a note on the plans.
- **20. Specifications.** The specifications are the minimum acceptable specifications for the project for which proposals are sought. Any deviation from the specifications contained herein, shall render the bid non-responsive.
- 21. Examination of Site and Conditions. Bidders are required, prior to submission of bids, to carefully examine the site and the Plans and Specifications of the contemplated work. Errors and omissions in the Plans or Specifications shall be called to the attention of the Road Department Director prior to submission of bid so that addenda may be issued. Failure to do so on the part of the Contractor does not relieve him of responsibility for a correct and completely finished job. Only a written interpretation or correction by addendum shall be binding.

**22.** <u>Pre-Bid Inquiries.</u> Bidders with pre-bid inquires shall contact Cody Smith, County Engineer, in writing at <u>cody.smith@deschutes.org</u> or 61150 SE 27<sup>th</sup> Street, Bend, Oregon 97702.

23. Prequalification of Bidders.

Bidders shall be pre-qualified with the State of Oregon in accordance with ORS 279C.430 and Deschutes County Code 12.52.020. The prequalification class is as shown in the Invitation to Bid. This contract is subject to ORS 279C.800 to 279C.870. The successful bidders and subcontractors providing labor shall maintain a qualified drug-testing program for the duration of the contract. Bidders shall be licensed with the Construction Contractor's Board. Contractors and subcontractors need not be licensed under ORS 468.710.

- **24.** Contract Award. Deschutes County reserves the right to postpone award of the contract for fourteen (14) calendar days from the date of the bid opening, or until a final decision is made on a protest, whichever is later.
- **25.** <u>Bidder Statement.</u> Submission of a bid for the project shall constitute a statement by the bidder that the provisions of ORS 279C.840 are to be complied with.

## **BID PROPOSAL FORM**

## SLURRY SEAL 2022 - VARIOUS MAINTENANCE ZONES

BIDDER NAME		CCB#	
ADDRESS	CITY	STATE	ZIP CODE
CONTACT NAME	CONTACT PHONE N	IUMBER	CONTACT EMAIL ADDRESS
in this Proposal are those nar and it is made without collusion	med herein; that this Pro on with any official of De Il is made without any co	oposal is, in all leschutes Count	ly persons or parties interested respects, fair and without fraud; ry, Oregon, hereinafter called Illusion with any person making
	s involved, including ma sal is made according to	iterials and equ the provisions	
The Bidder agrees that all of the applicable provisions of Oregon law relating to public contracts (ORS Chapter 279) are, by this reference, incorporated in and made a part of this Proposal. Bidder hereby states that Bidder will comply with ORS 279C.840.			
Bidder declares that (check a ☐ Bidder is a resident bidder ☐ Bidder is a nonresident bid	of the State of Oregon.		
Bidder declares that Bidder is County, including but not limit			State of Oregon and Deschutes

The Bidder further agrees that if this Proposal is accepted, Bidder will, within ten (10) calendar days after notification of acceptance, execute the contract with the County in the form of contract annexed hereto; and will, at the time of execution of the contract, deliver to the County the Performance and Payment Bonds (See Section 13 Information for Bidders) required herein; and will, to the extent of this Proposal, furnish all materials necessary to complete the work in the manner, in the time, and according to the methods as specified in the contract documents and required by the Road Department Director.

Bidder certifies that it has a drug testing program in place for its employees, or warrants that a drug testing program will be in place prior to execution of this contract, that the drug testing program is in writing, that new employees must pass a drug screening, that existing employees may be tested for reasonable cause or when an employee is injured or involved in an accident resulting in property

damage. Bidder agrees that each subcontractor providing labor under this Contract shall maintain a qualifying drug testing program for the duration of the Contract.

The Bidder agrees to commence work upon the issuance of a "Notice to Proceed" by the County and fully complete the project according to the time schedule specially set forth in the contract documents.

Bidder further agrees to pay liquidated damages for failure to complete within the specified time.

It is agreed that if the Bidder is awarded the contract for the work herein proposed and shall fail or refuse to execute the contract and furnish the contract and furnish the specified Performance and Payment Bond within ten (10) calendar days after receipt of notification of acceptance of Bidder's proposal, then, in that event, the bid security deposited herewith according to the conditions of the Invitation to Bid and Information for Bidders shall be retained by the County as liquidated damages; and it is agreed that the said sum is a fair measure of the amount of damage the County will sustain in case the Bidder shall fail or refuse to enter into the contract for the said work and to furnish the Performance and Payment Bonds (See Section 13 Information for Bidders) as specified in the contract documents. Bid security in the form of a certified check shall be subject to the same requirements as a bond.

(IF SOLE PROPRIETOR OR PARTNERSHIP)

,	,	
IN WITNESS HERETO, the ur	ndersigned has set hand this day of 2022.	
	SIGNATURE OF BIDDER	
	TITLE	
	(IF CORPORATION)	
	undersigned corporation has caused this instruction of the components of the compone	
	NAME OF CORPORATION	-
	By:	-
	Title:	_
	Attest.	

(SCHEDULE OF BID ITEMS TO FOLLOW)

ITEM NO.	SPEC SECTION	ITEM	UNIT	QTY UNIT PRICE	AMOUNT
001 002 003 004	00210 00221 00706 00706	Mobilization Temporary Work Zone Traffic Control, Complete Slurry Seal, Type II, LM CQS-1H, La Pine Maintenance Zone Slurry Seal, Type II, LM CQS-1H, Redmond Maintenance Zone	LS LS SQYD SQYD	1 \$ 1	\$ \$ \$ \$
FOR DE	SCHUTES C	OUNTY USE ONLY	ADD <u>% FOR</u>	NON-RESIDENT BIDDER TOTAL BID	
The Bio	dder ackno	wledges receipt of the following Addenda: (insert addenda nu	umbers)		

# FIRST-TIER SUBCONTRACTOR DISCLOSURE FORM

Project Name: SLURRY SEAL 2022 - VARIOUS MAINTENANCE ZONES Bid #: W66125 Bid Closing Date: April 27, 2022 Time: 2:00 P.M. Name of Bidding Contractor: This form must be submitted at the location specified in the Invitation to Bid on the advertised bid closing date and within two working hours (4:00 p.m.) after the advertised bid closing time. List below the name of each subcontractor that will be furnishing labor or materials and that is required to be disclosed, the category of work that the subcontractor will be performing and the dollar value of the subcontract. Enter "NONE" if there are no subcontractors that need to be disclosed. (ATTACH ADDITIONAL SHEETS IF NEEDED). DOLLAR VALUE CATEGORY OF WORK NAME 1) \$ 3) \_\_\_\_\_\_ \$\_\_\_\_\_ 4) \_\_\_\_\_\_ \$\_\_\_\_\_ 5) \_\_\_\_\_ \$\_\_\_\_\_ 6) \_\_\_\_\_\_ 7) \_\_\_\_\_\_ \$\_\_\_\_\_ 8) \_\_\_\_\_ \$\_\_\_\_ \_\_\_ Failure to submit this form by the disclosure deadline will result in a non-responsive bid. A nonresponsive bid will not be considered for award. Form submitted by Bidder name: Contact name: \_\_\_\_\_ Phone number: \_\_\_\_\_

# **BID BOND**

KNOW ALL MEN BY THESE PRESENTS, T	Гhat
hereinafter called the Principal, and	
	s of the State of,
having its principal place of business at	
	, in the State of,
and authorized to do business in the State of	of Oregon, as Surety, are held and firmly bound unto the
County of Deschutes, hereinafter called the	Obligee, in the penal sum of
	DOLLARS (\$),
for the payment of which, well and truly administrators, successors and assigns, joir	to be made, we bind ourselves, our heirs, executors, ntly and severally, firmly by these presents.
The condition of this Bond is that, whereas, SEAL 2022 – VARIOUS MAINTENANCE Z	the Principal is submitting a bid proposal for the SLURRY ONES project hereby made a part hereof;
contract be awarded to said Principal, and and shall furnish the Performance and P documents with the time fixed by said documents.	sal submitted by the said principal be accepted, and the if the said Principal shall execute the proposed contract ayment Bond as required by the bidding and contract cuments, then this obligation shall be void, otherwise to sealed this day of, 2022.
SURETY:	CONTRACTOR:
Name	Name
By:	By:
Title:	Title:

# CONTRACT

#### **FOR**

#### **SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES**

THIS CONTRACT is made and entered into, in duplicate, this	day of
, 2022, by and between DESCHUTES COUNTY, a	
subdivision of the State of Oregon, by and through its Board of	County
Commissioners, hereinafter called "County", and	,
hereinafter called "Contractor."	

#### WITNESSTH:

THAT the said Contractor, in consideration of the sums to be paid by the County in the manner and at the time herein provided, and in consideration of the other covenants and agreements herein contained, hereby agrees to perform and complete the work herein described and provided for and to furnish all necessary machinery, tools, apparatus, equipment, supplies, materials and labor and do all things in accordance with the applicable Plans, the applicable Standard Specifications, the Special Provisions and other required provisions bound herewith or incorporated therein, and in accordance with such alterations or modifications of the same as may be made by the County, and according to such directions as may from time to time be made or given by the Engineer under the authority and within the meaning and purpose of this Contract. This agreement shall be binding upon the heirs, executors, administrators, successors and assigns of the Contractor.

THAT the applicable Plans, the applicable Standard Specifications, the Special Provisions and other required provisions bound herewith or incorporated therein and the Schedule of Items bound herewith are hereby specifically referred to and by this reference made a part hereof, and shall by such reference have the same force and effect as though all of the same were fully written or inserted herein.

THAT the Contractor shall faithfully complete and perform all of the obligations of this Contract, and in particular, shall promptly, as due, make payment of all just debts, dues, demands and obligations incurred in the performance of said Contract; and shall not permit any lien or claim to be filed or prosecuted against the County, its agents or employees. It is expressly understood that the laws of the State of Oregon and the Ordinances of the County shall govern this Contract in all things.

THAT in consideration of the faithful performance of all of the obligations, general and special, herein set out, and in consideration of the faithful performance of the work as set forth in the Contract Documents in accordance with the directions and to the satisfaction of the Engineer, the County agrees to pay to the said Contractor the amount earned, as determined from the actual quantities of work performed, and taking into consideration any amounts that may be deductible and under the terms of the Contract, and to make such payments in the manner and at the times provided in the applicable provisions.

(SIGNATURE PAGE TO FOLLOW)

IN WITNESS WHEREOF, the parties hereto have subscribed their names and affixed their respective official seals as of the date first above written

CONTRACTOR	BOARD OF COUNTY COMMISSIONERS OF DESCHUTES COUNTY, OREGON
BY:	PATTI ADAIR, CHAIR
TITLE:	ANTHONY DeBONE, VICE CHAIR
DATE:	PHIL CHANG, COMMISSIONER
	ATTEST:
	RECORDING SECRETARY
	APPROVED AS TO CONTENT:
	ROAD DEPARTMENT DIRECTOR
	APPROVED AS TO FORM:
	COUNTY LEGAL COUNSEL

Bond #	<u> </u>

# PERFORMANCE BOND

KNOW ALL MEN BY THESE PRESENTS: that	
(Name of Contractor)	
(Address of Contractor)	
а	, hereinafter called
(Corporation, Partnership, or Individual)	
"Principal", and	
(Name of Surety) hereinafter called "Surety", are held and firmly bound unto Deschutes Co	unty, Oregon
hereinafter called "Owner", in the penal sum of	
Dollars, \$	5( )
in lawful money of the United States, for the payment of which sum well a we bind ourselves, successors, and assigns, jointly and severally, firmly l	and truly to be made,
THE CONDITION OF THIS OBLIGATION is such that whereas, the Prince certain contract with the OWNER, dated the day of which is hereto attached and made a part hereof for the construction of:	

#### **SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES**

NOW THEREFORE, if Principal shall well, truly and faithfully perform its duties, all the undertakings, covenants, terms, conditions, and agreements of said contract during the original term thereof, and any extensions thereof which may be granted by Owner, with or without notice to Surety and during the **two year guaranty period**, and if Principal shall satisfy all claims and demands incurred under such contract, and shall fully indemnify and save harmless Owner from all costs and damages which is may suffer by reason of failure to do so, and shall reimburse and repay Owner all outlay and expense which Owner may incur in making good any default, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED FURTHER, that Surety, for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to work to be performed thereunder or the specifications accompanying the same shall in any wise affect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or the specifications.

PROVIDED, FURTHER, that no final settlement between Owner and Principal shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrumer shall be deemed an original, this the			
<b>,</b> , <u> </u>			
(SEAL)	PRINCIPAL: _		
	By Signature		
	Official Capac	ity	
	Attest:	ation Secretary	
(SEAL)	SURETY:[Add signatures f	or each surety if us	ing multiple bonds
	BY ATTORNE [Power-of-Attorne		/ each surety bond
	Name		
	Signature		
	Address		
	City	State	Zip
	Phone	Fax	

NOTE: Date of bond must not be prior to date of Contract.

If Contractor is Partnership, all partners should execute bond.

Bond #	!

# **PAYMENT BOND**

KNOW ALL MEN BY THESE PRESENTS: that	
(Name of Contractor)	
(Address of Contractor)	
а	, hereinafter called
(Corporation, Partnership, or Individual)	
"Principal", and	
(Name of Surety) hereinafter called "Surety", are held and firmly bound unto Deschutes Cou	unty, Oregon
hereinafter called "Owner", in the penal sum of	
Dollars, \$	()
in lawful money of the United States, for the payment of which sum well a we bind ourselves, successors, and assigns, jointly and severally, firmly b	nd truly to be made,
THE CONDITION OF THIS OBLIGATION is such that whereas, the Princ certain contract with the OWNER, dated the day of which is hereto attached and made a part hereof for the construction of:	

#### **SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES**

NOW, THEREFORE, if Principal shall promptly make payment to all persons, firms, subcontractors, and corporations furnishing materials for or performing labor in the prosecution of the work provided for in such contract, and any authorized or modification thereof, including all amounts due for materials, lubricants, oil, gasoline, coal and coke, repairs on machinery, equipment and tools, consumed or used in connection with the construction of such work, and all insurance premiums on said work, and for all labor, performed in such work whether by subcontractor or otherwise, then this obligation shall be void; otherwise to remain in full force and effect.

PROVIDED, FURTHER, that Surety for value received hereby stipulates and agrees that no change, extension of time, alteration or addition to the terms of the contract or to the work to be performed thereunder or the specifications accompanying the same shall in any wise affect its obligation on this bond, and it does hereby waive notice of any such change, extension of time, alteration or addition to the terms of the contract or to the work or to the specifications.

PROVIDED, FURTHER, that no final settlement between Owner and Principal shall abridge the right of any beneficiary hereunder, whose claim may be unsatisfied.

IN WITNESS WHEREOF, this instrument shall be deemed an original, this the			
(SEAL)	PRINCIPAL: _		
	By Signature		
	Official Capaci	ty	
	Attest: Corpora	ation Secretary	
(SEAL)	SURETY:	or each surety if us	sing multiple bonds
	BY ATTORNE		y each surety bond
	Name		
	Signature		
	Address		
	City	State	Zip
	Phone	Fax	

NOTE: Date of bond must not be prior to date of Contract.
If Contractor is Partnership, all partners should execute bond.

# **SPECIAL PROVISIONS**

**SLURRY SEAL 2022 - VARIOUS MAINTENANCE ZONES** PROJECT:

**PROJECT #: W66125** 


# **CONTRACTING AGENCY:**



**61150 SE 27<sup>TH</sup> STREET** BEND, OREGON 97702

WEB: www.deschutes.org/road

# PROFESSIONAL OF RECORD CERTIFICATION:



#### SPECIAL PROVISIONS

#### **WORK TO BE DONE**

The work to be done under this contract consists of the following on the SLURRY SEAL 2022 – VARIOUS MAINTENANCE ZONES project:

- 1. Install and maintain temporary traffic control.
- 2. Perform public outreach.
- 3. Construct latex-modified emulsified asphalt slurry seal wearing surface.
- 4. Perform additional and incidental work as called for by the specifications and plans.

#### **APPLICABLE SPECIFICATIONS**

The Specification that is applicable to the Work on this Project is the 2021 edition of the "Oregon Standard Specifications for Construction."

All number references in these Special Provisions shall be understood to refer to the Sections and subsections of the Standard Specifications and Supplemental Specifications bearing like numbers and to Sections and subsections contained in these Special Provisions in their entirety.

Copies of the Oregon Standard Specifications may be purchased or viewed online at

http://www.oregon.gov/ODOT/Business/Pages/Standard Specifications.aspx.

#### **APPLICABLE RULES**

The rules applicable to this contract are the Attorney General's Model Public Contract Rules, Chapter 137-046 and Chapter 137-049, as presently constituted and Deschutes County Code (DCC) Chapter 2.37. The provisions of DCC Chapter 2.37.150 are incorporated herein by reference. These provisions may be viewed at the following web address:

http://www.co.deschutes.or.us/administration/page/deschutes-county-code

#### **CONTRACT TIME**

The Contractor shall not begin On-Site Work before June 20, 2022, unless approved by the Engineer. The Contractor shall complete all Work to be done under the Contract not later than August 31, 2022.

#### **CLASS OF WORK**

The Class of Work for this Project is Asphalt Concrete Paving and Oiling.

# SECTION 00110 - ORGANIZATION, CONVENTIONS, ABBREVIATIONS AND DEFINITIONS

Comply with Section 00110 of the Standard Specifications modified as follows:

**00110.20 Definitions** - Replace the definitions of the words and phrases list below with the following definitions :

**Agency** – County of Deschutes

**Bid Booklet** - The version that can be accessed and printed from the Deschutes County Bids and RFPs website. which contains the information identified in 00120.10.

**Engineer** - The Road Department Director of Deschutes County acting either directly or through his authorized representatives.

#### SECTION 00120 - BIDDING REQUIREMENTS AND PROCEDURES

Comply with Section 00120 of the Standard Specifications modified as follows:

**00120.00** Pregualification of Bidders – Replace the last paragraph with the following:

Deschutes County Road Department will regularly evaluate the performance of Contractors on its projects for purposes of responding to reference checks, future prequalification and determinations of responsibility.

**00120.01** General Bidding Requirements - Replace this subsection with the following:

Bidders shall submit bids by paper.

The standard prequalification forms furnished by the ODOT Procurement Office shall be used by the bidder to file authorized signatures with Deschutes County Road Department. Signatures are of personnel authorized to submit Bids, modify Bids, or withdraw Bids.

**00120.05** Request for Solicitation Documents – Replace this subsection with the following:

Bidders shall obtain solicitation documents from the Deschutes County Bids and RFPs website:

#### https://www.deschutes.org/rfps

Each request shall include both the name of the person ordering or obtaining the Solicitation Documents, and the name of the Entity intending to use them. The Agency will add the name of the Entity intending to use the Solicitation Documents to the list of Holders of Bidding Plans. Bidders are cautioned that only Solicitation Documents obtained properly from the Deschutes County website may be used to submit Bids.

Only paper Bids will be accepted.

Copies of the Oregon Standard Specifications may be purchased or viewed online at

http://www.oregon.gov/ODOT/Business/Pages/Standard Specifications.aspx.

The Plans, which are applicable to the Work to be performed under the Contract, are bound herewithin.

**00120.10 Bid Booklet** – Replace this subsection with the following:

The Bidding Documents Booklet may include, but is not limited to:

- Cover Page
- Index
- Invitation to Bid
- Information for Bidders
- Bid Proposal Form
- Schedule of Bid Items
- Subcontractor Disclosure Form
- Bid Guaranty Form
- Contract Form (for review only)
- Payment and Performance Bond Forms (for review only)

Depending on the Class of Project, other certificates or statements may be bound within the Bidding Documents Booklet. Plans, specifications, and other documents referred to in the Bidding Documents Booklet will be considered part of the Bid.

**00120.30** Changes to Plans, Specifications, or Quantities before Opening of Bids – Replace all instances of "ODOT eBIDS" with "Deschutes County Bids and RFPs".

Replace the first paragraph with the following:

The Agency reserves the right to issue Addenda making changes or corrections to the Plans, Specifications, or quantities. The Agency will provide Addenda only by publishing them on the Agency's web site at:

https://www.deschutes.org/rfps

Delete the last paragraph.

**00120.40(a) (2)** Electronic Bids – Delete this subsection.

00120.40(c) (2) Electronic Bid Schedule Entries – Delete this subsection.

**00120.40 (d) Bidder's Address and Signature Pages** – Replace this subsection with the following:

Bidders shall include in the Bid the address to which all communication concerning the Bid and Contract should be sent. The Bid shall be signed by a duly authorized representative of the Bidder.

00120.40(e) (2) Bid Guaranty with Electronic Bids – Delete this subsection.

**00120.40(f) Disclosure** of First-Tier Subcontractors – Under the paragraph "The Subcontractor Disclosure Form may be submitted for a paper Bid either," replace the second bulleted item with the following:

 By removing it from the paper Bid Booklet, filling it out and submitting it separately to the Deschutes County Public Works Engineering and Construction Division at the address given in the Bid Booklet.

Delete the third bulleted item.

Delete the paragraph which begins "The Subcontractor Disclosure Form may be submitted for an electronic Bid either:"

Replace the paragraph that begins "Subcontractor Disclosure forms submitted by..." with the following:

Subcontractor Disclosure Forms submitted by any method will be considered late if not received by the Agency within two working hours of the time designated for receiving Bids.

**00120.45** Submittal of Bids – Replace this subsection with the following:

Bids shall be submitted in the manner and prior to the time listed in the Bidding Documents Booklet. Bids may be submitted by mail, parcel delivery service, or hand delivery. Bids submitted after the time set for receiving Bids will not be opened or considered. The Agency assumes no responsibility for the receipt and return of late Bids.

**00120.50** Submitting Bids for More than One Contract – Delete this subsection.

**00120.60(a)** Paper Bids – Replace all references to "ODOT Procurement Office" with "Agency."

Delete the third bullet point.

**00120.60(b)** Electronic Bids – Delete this subsection.

**00120.70** Rejection of Nonresponsive Bids – Add the following bullet to the end of the bullet list:

 The Agency determines that any Pay Item is significantly unbalanced to the potential detriment of the Agency.

**00120.95** Opportunity for Cooperative Arrangement – Delete this subsection.

#### **SECTION 00130 – AWARD AND EXECUTION**

Comply with Section 00130 of the Standard Specifications modified as follows:

**00130.10** Award of Contract – Replace the paragraph that begins "The Agency will provide Notice of Intent..." with the following:

The Agency will provide Notice of Intent to Award on the Agency's website:

### https://www.deschutes.org/rfps

Delete the paragraph that begins "The Award will not be final until..."

**00130.15** Right to Protest Award – Replace this subsection with the following:

Adversely affected or aggrieved Bidders, limited to the three apparent lowest Bidders and any other Bidder directly in line for Contract Award, may submit to the Board of County Commissioners of Deschutes County a written protest of the Agency's intent to Award within five working days following the Bid Opening. The protest shall specify the grounds upon which it is based.

The Agency is not obligated to consider late protests.

#### 00130.50 Execution of Contract and Bonds:

- (a) By the Bidder In the sentence that begins "The successful Bidder..." replace "ODOT Procurement Office Construction" with "Agency" and replace "15 Calendar Days" with "the requested amount of time".
- **(b) By the Agency** In the sentence that begins "Within 7 Calendar Days..." replace "7" with "21 (twenty-one)".

#### SECTION 00140 - SCOPE OF WORK

Comply with Section 00140 of the Standard Specifications.

#### **SECTION 00150 - CONTROL OF WORK**

Comply with Section 00150 of the Standard Specifications modified as follows:

**00150.05** Cooperative Arrangements – Replace this subsection with the following:

Agency is not, by virtue of this Contract, a partner or joint venturer with Contractor in connection with activities carried out under this Contract, and shall have no obligation with respect to Contractor's debts or any other liabilities of each and every nature.

**00150.15(b) Agency Responsibilities** - Replace this subsection, except for the subsection number and title, with the following:

# The Agency will:

- Provide copies of plans and specifications.
- Evaluate grade for acceptance at each course of material.
- Perform measurements and calculations for pay quantities.
- Perform final "as constructed" measurements.

**00150.50(c) Contractor Responsibilities** – Replace this subsection, except for the subsection number and title, with the following:

#### The Contractor shall:

- Layout and set construction stakes and marks to establish the lines, grades, Slopes, Cross Sections and curve super-elevations for Roadwork to construct the Project as shown and specified, by means approved by the Engineer.
- Make calculations, field notes and survey drawings for the layout and control of work as are necessary to construct the Project as specified.
- Provide original or copies of notes, calculations and drawings as requested.
- Preserve survey monuments and control stations as governed by applicable law.
- Establish control stations as necessary to control the Project.
- Replace and augment control stations as necessary to control the Project.
- Remove and dispose of all flagging, lath, stakes and other temporary staking material after the Project is completed.
- Protect from damage or disturbance any Utility that remains within the area in which Work is being performed. Maintain and re-establish location marks according to OAR 952-001-0090(3)(a). Coordinate re-establishment of the location marks with the associated Utility.
- Determine the exact location before excavating within the tolerance zone according to OAR 952-001-0090(3)(c);
- In addition to the notification required in OAR 952-001-0090(6), notify the Engineer
  and the Utility as soon as the Contractor discovers any previously unknown Utility
  conflicts or issues. Contrary to the OAR, stop excavating until directed by the Engineer
  and allow the Utility a minimum of two weeks to relocate or resolve the previously
  unknown Utility issues.

Add the following subsection:

#### 00150.50(f) Utility Information:

There are no anticipated conflicts with Utilities. The Contractor shall contact those Utilities having buried facilities and request that they locate and mark them for their protection prior to construction.

#### **SECTION 00160 - SOURCE OF MATERIALS**

Comply with Section 00160 of the Standard Specifications modified as follows:

**00160.30 Agency-Furnished Materials** – Add the following paragraph:

No Agency materials are being offered for use on this project. Contractor shall provide all required materials.

**00160.40 Agency-Furnished Sources**– Add the following paragraph:

No Agency sources are being offered for use on this project. Contractor shall provide all required materials.

#### **SECTION 00165 - QUALITY OF MATERIALS**

Comply with Section 00165 of the Standard Specifications modified as follows:

**00165.03 Testing by Agency** – Delete this subsection.

**00165.04** Costs of Testing – Delete this subsection.

**00165.50(b)(1)** Specification Materials – Delete the second sentence.

**00165.10(a)** Field-Tested Materials – Add the following sentence to the end of this subsection:

This is a Type D project.

#### SECTION 00170 - LEGAL RELATIONS AND RESPONSIBILITIES

Comply with Section 00170 of the Standard Specifications modified as follows:

Add the following subsection:

**00170.09 Debt Limitation** - This Contract is expressly subject to the debt limitation of Oregon counties set forth in Article XI, Section 10, of the Oregon Constitution, and is contingent upon funds being appropriated therefore. Any provision herein which would conflict with law are deemed inoperative to that extent.

**00170.65(b-1) Minimum Wage Rates –** Replace the last two paragraphs in this subsection with the following:

The applicable prevailing wage rates for this project are the most recent version published by the Oregon Labor and Industries at the time the Project was initially advertised (Prevailing Wage Rates for Public Works Contracts, January 1, 2022). The wage rates can be found at the following website:

https://www.oregon.gov/boli/WHD/PWR/Pages/pwr\_state.aspx

**00170.70(a) Insurance Coverages** - Add the following to the end of this subsection:

The following insurance coverages and dollar amounts are required pursuant to this subsection:

Insurance Coverages	Combined Single Limit per Occurrence	Annual Aggregate Limit
Commercial General Liability	\$1,000,000	\$2,000,000
Commercial Automobile Liability	\$1,000,000	(aggregate limit not required)

**(d) Additional Insured** – Replace this subsection except for the subsection number and title with the following:

The liability insurance coverages of 00170.70(a) shall include an Additional Insured Endorsement specifying the "Deschutes County, and its respective officers, agents, employees, and volunteers and the Deschutes County Board of Commissioners" as Additional Insureds, but only with respect to the Contractor's activities to be performed under the Contract. Coverage shall be primary and non-contributory with any other insurance and self-insurance. The liability coverages of 00170.70(a) that are permitted by the Agency to be obtained by an appropriate Subcontractor shall include all of the foregoing as Additional Insureds and shall also include the Contractor and its officers and employees as Additional Insureds.

Additional Insured Endorsements on the Commercial General Liability shall be written on ISO Form CG 20 10 07 04, or equivalent, with respect to liability arising out of ongoing operations and ISO Form CG 20 37 07 04, or equivalent, with respect to liability arising out of completed operations. Additional Insured Endorsements shall be submitted with the Certificate(s) of Insurance and must be acceptable to the Agency.

Add the following as Additional Insureds under the Contract:

- Deschutes County and its officers, agents, employees, and volunteers
- Deschutes County Board of Commissioners
- **(g) Certificate(s) of Insurance** Replace this subsection except for the subsection number and title with the following:

As evidence of the insurance coverages required by the Contract, the Contractor shall furnish Certificate(s) of Insurance to the Agency at the time(s) provided in 00130.50(a). As evidence of insurance coverages required by the Contract but permitted by the Agency under 00170.70(a) to be obtained by an appropriate Subcontractor, the Contractor shall furnish Certificate(s) of Insurance to the Agency for such coverages together with the Contractor's request under 00180.21 for approval of the subcontract with that Subcontractor. The Certificate(s) shall:

- List "Deschutes County and its officers, agents, employees, and volunteers and the Deschutes County Board of Commissioners" as a Certificate holder and as an endorsed Additional Insured;
- Include all required endorsements or copies of the applicable policy language effecting coverage required by the Contract;
- Specify that all liability insurance coverages shall be primary and non-contributory with any other insurance and self-insurance, with exception of Workers' Compensation;
- Include a list of all policies that fall under the Excess/Umbrella Insurance if Excess
  or Umbrella Insurance is used to meet the minimum insurance requirement.

**00170.72 Indemnity/Hold Harmless** - Add the following paragraph and bullets to the end of this subsection:

Extend indemnity and hold harmless to the Agency and the following:

- Deschutes County and its officers, agents, and employees
- · Deschutes County Board of Commissioners

#### **SECTION 00180 – PROSECUTION AND PROGRESS**

Comply with Section 00180 of the Standard Specifications modified as follows:

**00180.40(b) On-Site Work** - Add the following paragraph to the end of the subsection:

The Contractor shall not begin On-Site Work before June 20, 2022, unless approved by the Engineer.

Add the following subsection:

**00180.40(c) Specific Limitations** - Limitations of operations specified in these Special Provisions include, but are not limited to, the following:

Limitations	Subsection
Cooperation with Utilities	00150.50
On-Site Work	00180.40(b)
Contract Time	00180.50(h)
Lane Restrictions	00220.40(e)

Be aware of and subject to schedule limitations in the Standard Specifications that are not listed in this subsection.

**00180.41 Project Work Schedules** - After the paragraph that begins "One of the following Type..." add the following paragraph:

In addition to the "look ahead" Project Work schedule, a Type A schedule as detailed in the Standard Specifications is required on this Contract.

**00180.50(h)** Contract Time - The Contractor shall complete all Work to be done under the Contract not later than August 31, 2022.

#### **SECTION 00190 – MEASUREMENT OF PAY QUANTITIES**

Comply with Section 00190 of the Standard Specifications.

#### **SECTION 00195 - PAYMENT**

Comply with Section 00195 of the Standard Specifications modified as follows:

00195.12(d) Steel Materials Pay Item Selection - Add the following to this subsection:

No Pay Items under this Contract qualify for the steel escalation/de-escalation program for this Project.

**00195.50(b) Retainage** – Replace the first paragraph of this subsection with the following:

The amount to be retained from progress payments will be 5% of the value of Work accomplished, and will be retained in one of the forms specified in Subsection (c) below. No retainage will be withheld from Work performed as Force Account Work, escalation/deescalation, bonuses, or other items decided by the Agency.

00195.50(c-2) Cash, Alternate B (Retainage Surety Bond) - Delete this subsection.

**00195.50(c-3)** Bonds, Securities, and Other Instruments – Delete this subsection.

**00195.50(d)** Release of Retainage – Replace this subsection with the following:

As the Work progresses, release of the amounts retained under (b) above will only be considered for Pay Items that have been satisfactorily completed. For purposes of this Subsection, a Pay Item will be considered satisfactorily completed only if all of the Work for the Pay Item is complete and all contractual requirements pertaining to the Pay Item and Work have been satisfied. Work not included in a Pay Item, or which constitutes part of an uncompleted Pay Item, will not be regarded as satisfactorily completed Work for the purposes of this Subsection.

A determination of satisfactory completion of Pay Items or Work or release of retainage shall not be construed as acceptance or approval of the Work and shall not relieve the Contractor of responsibility for defective Materials or workmanship or for latent defects and warranty obligations.

The Contractor shall comply with all applicable legal requirements for withholding and releasing retainage and for prompt payments, including but not limited to those in ORS Chapters 279C and 701, and 49 CFR 26.29.

#### **SECTION 00196 – PAYMENT FOR EXTRA WORK**

Comply with Section 00196 of the Standard Specifications.

#### SECTION 00197 – PAYMENT FOR FORCE ACCOUNT WORK

Comply with Section 00197 of the Standard Specifications.

#### **SECTION 00199 - DISAGREEMENTS, PROTESTS, AND CLAIMS**

Comply with Section 00199 of the Standard Specifications modified as follows:

**00199.40 Claim Decision; Review; Exhaustion of Administrative Remedies** – Replace the second and third paragraphs with the following:

If the Engineer denies the claim for additional compensation or a combination of additional compensation and Contract Time, in full or in part, according to 00199.40(a), the Contractor may request review of the denial. The disputed claim may then be resolved, in full or in part, at any of the three progressive steps of claim review procedure as set forth in (b) through (d) of this Subsection.

If the Engineer has denied a claim, in full or in part, for Contract Time only according to 00180.80, or has denied a claim, in full or in part, for correction of final compensation according to 00195.95, those disputed claims may then be resolved, in full or in part, at any of the three progressive steps of claim review procedure as specified in (b) through (d) of this Subsection.

Delete the fifth paragraph.

**00199.40(b-e)** - Replace these subsections in their entirety with the following:

**00199.40(b) Step 1: Board of Commissioners Review** – The Contractor shall request that the Engineer arrange for a hearing during a regularly scheduled Board of Commissioners Meeting in order to present the denied or partially denied claim for formal review and discussion. The meeting will take place within 21 Calendar Days of the Agency's receipt of the request, or as otherwise agreed by the parties.

If the Board of Commissioners determines that the Contractor must furnish additional information or documentation to allow proper analysis of the claim, the Engineer will prepare a Board meeting agenda item for a second hearing within 14 Calendar Days, or as otherwise agreed by the parties, at which the Contractor shall present the requested information or documentation.

If the Contractor does not accept the Step 1 decision, the Contractor may, within 10 Calendar Days of receipt of the written decision, request in writing through the Engineer that the claim be advanced to Step 3 or 4 (see (c) and (d) below.

**00199(c) Step 2: Arbitration -** At this step, the claim will be resolved by binding arbitration before a single arbitrator according to the Construction Industry Arbitration Rules of the

American Arbitration Association or such other arbitration service and rules as agreed by the parties.

Arbitration filing costs and any arbitrator's fees will be divided equally between the Agency and the Contractor.

**00199(d)** Step 3: Litigation – This step applies to appeals of arbitration awards issued in Step 2 at 00199.40(c) above, according to ORS 36.600 through ORS 36.740.

The Contractor must follow each step in order, and exhaust all available administrative remedies before resorting to litigation. Lawsuits must be properly filed in a court of competent jurisdiction within 6 months from the date of the final decision that exhausted the Contractor's available administrative remedies under this Section 00199.

The Contractor shall comply with 00170.00.

#### **SECTION 00210 - MOBILIZATION**

Comply with Section 00210 of the Standard Specifications.

#### **SECTION 00220 - ACCOMMODATIONS FOR PUBLIC TRAFFIC**

Comply with Section 00220 of the Standard Specifications modified as follows:

# **00220.02(a)** General Requirements – Add the following bullets:

 When access cannot be maintained to driveways, schedule work and lane closures so that the distance from the entrance to the driveway and the nearest point for vehicular ingress and egress does not exceed 1/4 mile.

#### 00220.03(b) Closures -

Add the following paragraphs to the second bullet:

Special written notices in the form of door hangers shall be distributed to affected residents and/or businesses in the vicinity of the Work Area(s). Door hangers shall specify the calendar dates and approximate times of street closures. The dates specified on the door hangers shall match the dates from the Agency-approved schedule. The Contractor shall submit a draft of the language on the notices to the Agency for approval prior to printing. Allow 1 business day for Agency review. Provide a local Central Oregon area or toll free phone number and an email address on all public notices to direct questions or concerns to the Contractor. The Contractor shall have staff available between 7:00 a.m. and 6:00 p.m. Work Days for the duration of the project to answer public questions at the phone number and email address provided.

In cases where the residents and businesses were notified of a street closure(s) for Slurry Seal, and the Slurry Seal was not performed per the date on the notice, the Contractor shall provide additional special written notice on the day of the delay notifying the residents and businesses of the delay; and then re-notify them of the new schedules. Re-notification shall

comply with this section.

Add the following bullet:

• **Driveways**– A minimum of 14 calendar days before closing access to driveways. After receiving written approval, place "No Parking" signs identifying the date of the closure along the affected on affected driveway areas.

**00220.40(e-1) Closed Lanes** - Replace this subsection, except for the subsection number and title, with the following:

One or more Traffic Lanes may be closed when allowed, shown, or directed during the following periods of time except as indicated in 00220.40(e)(2):

Daily, Monday through Friday between 7:00 a.m. and 6:00 p.m.

#### SECTION 00221 - COMMON PROVISIONS FOR WORK ZONE TRAFFIC CONTROL

Comply with Section 00221 of the Standard Specifications.

#### **SECTION 00222 – TEMPORARY TRAFFIC CONTROL SIGNS**

Comply with Section 00222 of the Standard Specifications.

#### SECTION 00223 - WORK ZONE TRAFFIC CONTROL LABOR AND VEHICLES

Comply with Section 00223 of the Standard Specifications.

#### SECTION 00224 - TEMPORARY TRAFFIC CHANNELIZING DEVICES

Comply with Section 00224 of the Standard Specifications.

#### **SECTION 00225 - TEMPORARY PAVEMENT MARKINGS**

Comply with Section 00225 of the Standard Specifications

#### **SECTION 00290 - ENVIRONMENTAL PROTECTION**

Comply with Section 00290 of the Standard Specifications modified as follows:

**00290.32 Noise Control** - Add the following bullet:

• All construction operations shall be performed between the hours of 7:00 a.m. and 6:00 p.m. on Monday through Friday unless otherwise approved by the Engineer.

## SECTION 00706 - EMULSIFIED ASPHALT SLURRY SEAL SURFACING

Comply with Section 00706 of the Standard Specifications modified as follows:

**00706.00 Scope** - Replace this subsection, except for the subsection number and title, with the following:

This Work consists of applying one or more layers of slurry seal consisting of latex-modified Emulsified Asphalt, water, Aggregate, and additives on a prepared surface at the following locations, and/or as directed:

LA PINE MAINTENANCE ZONE					
	AREA 1: L	AZY RIVER SOUTH			
ROAD NAME	BEGINNING	END	LENGTH, MILES	WIDTH, FEET	AREA, SQYD
SERPENTINE DR	BRIDGE DR	HAFDAHL LN	0.273	24	3844
HERRELL LN	SPRAGUE LOOP	END	0.057	25	836
CENTRAL WAY	SPRAGUE LOOP	END BUBBLE	0.248	25	3637
SHANKS LN	SPRAGUE LOOP	END PAVEMENT	0.048	24	676
PRAIRIE VIEW DR	BRIDGE DR	LOOP DR	0.173	24	2443
PRAIRIE VIEW DR	LOOP DR	LOOP DR / WALKER WAY	0.171	24	2411
SPRAGUE LOOP	BRIDGE DR N	BRIDGE DR S	1.196	25	17541
FAWN CT	LOOP DR	END BUBBLE	0.054	26	824
FOREST CT	FOREST RD	END BUBBLE	0.068	26	1037
WALKER WAY	FOREST RD	PRAIRIE VIEW DR-LOOP DR	0.308	26	4698
LOOP DR	PRAIRIE VIEW DR- WALKER WAY	PRAIRIE VIEW DR	0.603	27	9552
FOREST RD	BRIDGE DR	PRAIRIE VIEW DR	0.352	27	5576
CLOVER CT	BRIDGE DR	END BUBBLE	0.036	26	549
TIMBER LANE LOOP	BRIDGE DR N	BRIDGE DR S	0.416	24	5857
FERNDALE PL	BRIDGE DR	END BUBBLE	0.078	24	1098
HIDDEN GLEN CT	BRIDGE DR	END BUBBLE	0.058	25	851
NORTHRIDGE DR	PINE GROVE RD	END	0.058	25	851
SHADOW CT	PINE GROVE RD	END BUBBLE	0.044	25	645
PINE GROVE RD	BRIDGE DR	END BUBBLE	0.549	25	8052
BRIDGE CT	BRIDGE DR	END BUBBLE	0.061	24	859
EAGLE CT	OTTER DR	END BUBBLE	0.072	24	1014
OTTER DR	BRIDGE DR	EAGLE CT	0.243	25	3558
HAFDAHL LN	SERPENTINE DR	BUBBLE	0.138	24	1939

REDMOND MAINTENANCE ZONE					
AREA 2: SHERWOOD ESTATES					
ROAD NAME	BEGINNING	END	LENGTH, MILES	WIDTH, FEET	AREA, SQYD
29TH CT NW	NW POVEY AVE	END BUBBLE	0.132	24	1859
38TH ST NW	NW ORCHARD DR	NW POVEY AVE	0.154	24	2168
ORCHARD CT NW	NW 38TH ST	END BUBBLE	0.256	24	3604
ORCHARD DR NW	NW 38TH ST	END	0.440	24	6195
POVEY AVE NW	BEGIN	NW 43RD ST	1.115	24	15699

AREA 3: EQUESTRIAN MEADOWS					
ROAD NAME	BEGINNING	END	LENGTH, MILES	WIDTH, FEET	AREA, SQYD
11TH ST NE	BEGIN	NE JUNIPER RIDGE RD	0.600	24	8448
JUNIPER RIDGE RD	NE KNICKERBOCKER AVE	END	1.161	24	16347
LYNCH AVE NE	NE 11TH ST	END	0.113	23	1525

# **00706.10 Emulsified Asphalt –** Replace this subsection with the following:

Furnish LM CQS-1h Latex-Modified Emulsified Asphalt meeting the following requirements:

TEST ON EMULSION	TEST METHOD	LIMITS
Viscosity at 77° F (25 °C), Saybolt-Furol,	AASHTO T 59	20-100 seconds
Sieve Test, % retained on No. 20 Sieve	AASHTO T 59	0.10 maximum
Particle charge, Electroplate	AASHTO T 59	POSITIVE
Residue by Distillation, % by Weight	AASHTO T 59	62% minimum
Settlement (Storage Stability), 24 hour	AASHTO T 59	1% maximum

TEST ON RESIDUE	TEST METHOD	LIMITS
Softening point (ring & ball)	AASHTO T 53	135°F minimum
Penetration at 77° F (25 °C)	AASHTO T 49	40 – 90 minimum
Ductility at 77° F (25 °C), inches	AASHTO T 51	15.7 minimum
Elastic Recovery	AASHTO T 240	25% minimum

# **00706.11 Polymer Modified Emulsion –** Replace this subsection with the following:

**00706.11** Latex-Modified Emulsion - Furnish LM-CQS-1h latex-modified emulsion. Blend the latex modifier with the base asphalt or asphalt emulsion, prior to loading at the

manufacturing plant, at the minimum rate of 2.5 to 3 percent solids by weight of asphalt. Blending time shall be no longer than 20 minutes. The latex-modified emulsion shall be compatible with the mix design developed for the conventional slurry seal. Each shipment of Latex-Modified Emulsified Asphalt shall be accompanied by a certificate of analysis or certificate of compliance from the manufacturer.

#### **00706.12** Aggregate – Add the following to the end of this subsection:

Test gradation in accordance with AASHTO T 27 and AASHTO T 11. Provide aggregate meeting the following requirements:

TEST	TEST METHOD	LIMITS
Sand Equivalent	AASHTO T 176	60 minimum
Soundness by use of Sodium Sulfate	AASHTO T 104	15% maximum
Abrasion	AASHTO T 96	30% maximum

#### 00706.41(c) Crack Sealing – Delete this subsection.

#### **00706.41(e)** Street Equipment and Procedure – Replace this subsection with the following:

Immediately prior to applying the slurry seal, clear the surface of all loose material, silt spots, vegetation, oil spots and other objectionable material. Sweeping or High Pressure Power Washing are acceptable methods. If water is used, allow cracks to dry thoroughly before slurry sealing. The Engineer will approve the surface preparation prior to sealing.

## **00706.43 Application Rate** – Replace the last paragraph and table with the following:

The slurry seal mixture shall be of the proper consistency at all times so as to provide the application rate required by the surface condition. Application rates are determined by the weight of dry aggregate. The average application rate shall be in accordance with the following table:

AGGREGATE TYPE	RECOMMENDED USE	APPLICATION RATE
TYPE I	Parking Area, Urban and Residential Streets, Airport Runways	8 – 12 lb/yd²
TYPE II	Urban and Residential Streets, Airport Runways	14 – 18 lb/yd²
TYPE III	Primary and Interstate Routes	18 – 24 lb/yd²

Add the following paragraphs to the end of this section:

Determine the actual application rates through means approved by the Engineer. The application rate should be continually monitored during production. Failure to demonstrate proper rate of application will result in suspension of the work until the Contractor can demonstrate otherwise, at no additional cost to the Agency.

Furnish a report to the Engineer demonstrating the average application rate for each work shift, by the end of the following work shift.

**00706.45 Joints** – Add the following paragraph to the end of this subsection:

All starts and stops at intersections, and handwork on turnouts shall be performed using roofing felt to ensure sharp, uniform joints and edges. Overlaps shall not be located in the wheel paths and shall not exceed 3 inches in width. Transverse joints shall be smooth and not create noticeably poor ride quality conditions. Any bumps, washboarding or other irregularities resulting from poor workmanship shall be corrected at no additional cost to the Agency.

**00706.47** Curing – Add the following paragraph to the end of this subsection:

The slurry seal surface shall be cured and opened to traffic by 5:00 p.m. The contractor shall cease applying slurry seal early enough to provide adequate time, but no later than 2:30 p.m. each work day, for the slurry seal to sufficiently cure, based on weather and temperature conditions, to allow vehicular traffic on the sealed surfaces without damage to the surface or tracking.

00706.48 Rolling - Delete this subsection.

**00706.51** Provisions for Traffic – Replace the first paragraph with the following:

Notify all affected property owners and tenants along the streets and side streets according to the approved schedule, or an approved revision of the schedule, 48 hours prior to the specific work.

**00706.80 Measurement** - Replace the first sentence with the following:

No measurement will be made for crack sealing.

Add the following paragraph to the end of this subsection:

The areas shown in 00706.00 are approximations. The Contractor shall be responsible for the measurement of the areas covered. In the event that there is a discrepancy between the quantities shown in 00706.00 and the actual quantities measured, the burden of proof shall fall to the Contractor.

**00706.90 Payment** – Replace the list of pay items with the following:

Pay Item	Unit of Measure
Slurry Seal, Type II, LM CQS-1h,	Square Yard
The corresponding Maintenance Zone will be inserted into the b	olank.

####

